

IPT

Journal Articles

Blanco, C., Clougherty, C., Lipsitz J., Mufson L., Weissman M.M. (2006). Homework in IPT: Rationale and practice. *Journal of Psychotherapy Integration Special Series: Integrating Between-Session Homework Activities into Different Psychotherapies*, 16(2), 201-218.

Clougherty, K. F., Verdeli, H., Mufson, L. H., & Young, J. F. (2006). Interpersonal psychotherapy: Effectiveness trials in rural Uganda and New York City. *Psychiatric Annals*, 36(8), 566-572.

Cornes, C., & Frank, E. (1996). Interpersonal psychotherapy. *American Psychiatric Press Review of Psychiatry*, 15, 91-107.

Gibbons, M. B. C., Crits-Christoph, P., Levinson, J., & Barber, J. (2003). Flexibility in manual-based psychotherapies: Predictors of therapist interventions in interpersonal and cognitive-behavioral therapy. *Psychotherapy Research*, 13(2), 169-185.

Hovaguimian, T., & Markowitz, J. (2006). La formation en psychothérapie interpersonnelle: de sa conception aux USA à son adaptation à Genève.

Psychothérapies, 26, 221-232.

Karlsson, H., & Katila, H. (2003). Interpersonal psychotherapy--A well studied research treatment gaining popularity among clinicians. *Psychiatria Fennica*, 34, 99-106.

Lichtmacher, J., Eisendrath, S. J., & Haller, E. (2006). Implementing interpersonal psychotherapy in a psychiatry residency training program. *Academic Psychiatry*, 30(5), 385-391.

Markowitz, J. C. (2006). Adaptations of interpersonal psychotherapy. *Psychiatric Annals*, 36(8), 559-563.

Markowitz, J. C. (1999). Developments in interpersonal psychotherapy. *The Canadian Journal of Psychiatry*, 44(6), 556-561.

Markowitz, J. C. (2006). The clinical conduct of interpersonal psychotherapy. *Focus*, 4(2), 179-186.

Markowitz, J. C. (1997). The future of interpersonal psychotherapy. *Journal of Psychotherapy Practice & Research*, 6(4), 294-299.

Markowitz, J. C., Bleiberg, K. L., Christos, P., & Levitan, E. (2006). Solving interpersonal problems correlates with symptom improvement in interpersonal psychotherapy: Preliminary findings. *Journal of Nervous and Mental Disease*,

194(1), 15-20.

Markowitz, J. C., Leon, A. C., Miller, N. L., Cherry, S., Clougherty, K. F., Villalobos, L.

(2000). Rater agreement on interpersonal psychotherapy problem areas. *Journal of Psychotherapy Practice & Research*, 9(3), 131-135.

Markowitz, J. C., & Weissman, M. M. (in press). IPT: Past, present, and future. *Clinical Psychology and Psychotherapy*.

Ravitz, P., Maunder, R., & McBride, C. (2008). Attachment, contemporary interpersonal theory and IPT: An integration of theoretical, clinical, and empirical perspectives. *Journal of Contemporary Psychotherapy*, 38(1), 11-21.

Stuart, S. (2006). Interpersonal psychotherapy: A guide to the basics. *Psychiatric Annals*, 36(8), 542-550.

Stuart, S. (2008). What is IPT; The basic principles and the inevitability of change. *Journal of Contemporary Psychotherapy*, 38(1), 1-10.

Stuart, S., Robertson, M., & O'Hara, M. W. (2006). The future of interpersonal psychotherapy. *Psychiatric Annals*, 36(8), 578-588.

Weissman, M. M. (2006). A brief history of interpersonal psychotherapy. *Psychiatric Annals*, 36(8), 553-557.

Weissman, M. M., & Markowitz, J. C. (2003). The future of psychotherapies for mood disorders. *World Psychiatry*, 2, 9-13.

Book Chapters

Swartz, H. A. & Markowitz, J. C. (2009). Techniques of individual interpersonal psychotherapy. In: G. O. Gabbard (Ed.), *Textbook of Psychotherapeutic Treatments* (309-338). Arlington, VA: American Psychiatric Publishing, Inc.

Manuals

Weissman, M. M., Markowitz, J. C., & Klerman, G.L. (2007). *Clinician's Quick Guide to Interpersonal Psychotherapy*. New York: Oxford University Press.

- Has been translated into Japanese, Danish [*Interpersonel Psykoterapi Praksisvejledning*, Dansk Psykologisk Forlag], and German [*Interpersonelle Psychotherapie: Ein Behandlungsleitfaden*, Göttingen, Hogrefe]) translations (2009).

Weissman, M. M., Markowitz, J. C., & Klerman, G. L. (2000). *Comprehensive Guide to Interpersonal Psychotherapy*. New York: Basic Books.

Translations

Klerman, G. L., Weissman, M. M., Rounsaville, B. J., & Chevron, E. (1984).

Interpersonal Psychotherapy of Depression. Translated into Japanese by Hiroko Mizushima, Makoto Shimada, and Yutaka Ono. Tokyo: Iwasaki Gakujutsu Shuppansha, 1997.

Weissman, M. M., Markowitz, J. C., & Klerman, G. L. (2007). *Clinician's Quick Guide to Interpersonal Psychotherapy*. Translated into Japanese by Hiroko Mizushima. Osaka: Sogensha, 2008.

Weissman, M. M., Markowitz, J. C., & Klerman, G. L. (2000). *Comprehensive Guide to Interpersonal Psychotherapy*. Translated into Japanese by Hiroko Mizushima. Tokyo: Iwasaki Gakujutsu Shuppansha, 2009.

Weissman, M. M., Markowitz, J. C., & Klerman, G. L. (2006). *Guide De Psychothérapie Interpersonnelle*. Translated into French by Simon Patry. Montreal: Aquariummedia.com.

Wilfley, D. E., MacKenzie, K. R., Welch, R. R., Ayres, V. E., & Weissman, M. M. (2000). *Interpersonal Psychotherapy for Group*. Translated into Japanese by Hiroko Mizushima. Osaka: Sogensha, 2006.

Depressive Disorders

Journal Articles

Agosti, V., & Ocepek-Welikson, K. (1997). The efficacy of imipramine and psychotherapy in early-onset chronic depression: A reanalysis of the National Institute of Mental Health Treatment of Depression Collaborative Research Program. *Journal of Affective Disorders*, 43(3), 181-186.

Areán, P. A., & Cook, B. L. (2002). Psychotherapy and combined psychotherapy/pharmacotherapy for late life depression. *Biological Psychiatry*, 52(3), 293-303.

Baerg-Hall, E., & Mufson, L. (2009). Interpersonal psychotherapy for depressed adolescents (IPT-A): A case illustration. *Journal of Clinical Child and Adolescent Psychology*, 38(4), 582-593.

Bass, J., Neugebauer, R., Clougherty, K. F., Verdeli, H., Wickramaratne, P., Ndogoni, L., Speelman, L., Weissman, M., & Bolton, P. (2006). Group interpersonal psychotherapy for depression in rural Uganda: 6-month outcomes: Randomised controlled trial. *British Journal of Psychiatry*, 188(6), 567-573.

Bearsley-Smith, C., Browne, M. O., Sellick, K., Villanueva, E. V., Chesters, J., Francis, K., & Reddy, P. (2007). Does interpersonal psychotherapy improve clinical care for adolescents with depression attending a rural child and adolescent mental health service? Study protocol for a cluster randomised feasibility trial. *BMC Psychiatry*, 7(53), 1-7.

Bellino, S., Zizza, M., Rinaldi, C., & Bogetto, F. (2007). Combined therapy of major depression with concomitant borderline personality disorder: Comparison of interpersonal and cognitive psychotherapy. *The Canadian Journal of Psychiatry*, 52(11), 718-725.

Bledsoe, S.E., Wike, T., Olarte, A., Sommer, A.R., & Zeveloff, A. (2010). Feasibility of treating depression in pregnant, low-income adolescents using culturally relevant,

- brief interpersonal psychotherapy. *Journal of Women's Health, 19*, 1781.
- Brunstein-Klomek A., & Mufson L. (2006) Interpersonal psychotherapy for depressed adolescents. *Child and Adolescent Psychiatric Clinics of North America, 15*, 959-975.
- Brunstein-Klomek, A., Zalsman, G., & Mufson, L. (2007). Interpersonal psychotherapy for depressed adolescents (IPT-A). *Israel Journal of Psychiatry and Related Sciences, 44*(1), 40-47.
- Caron, A., & Weissman, M. M. (2006). Interpersonal psychotherapy in the treatment of depression in medical patients. *Primary Psychiatry, 13*(5), 43-50.
- Carreira, K., Miller, M. D., Frank, E., Houck, P. R., Morse, J. Q., Dew, M. A., Butters, M. A., & Reynolds, C. F., III. (2008). A controlled evaluation of monthly maintenance interpersonal psychotherapy in late-life depression with varying levels of cognitive function. *International Journal of Geriatric Psychiatry, 23*(11), 1110-1113.
- Carter, J. D., Luty, S. E., McKenzie, J. M., Mulder, R. T., Frampton, C. M., & Joyce, P. R. (2010). Patient predictors of response to cognitive behavior therapy and interpersonal psychotherapy in a randomised clinical trial for depression. *Journal of Affective Disorders, 128*(3), 252-261.

Carter, W., Grigoriadis, S., & Ross, L. E. (2010). Relationship distress and depression in postpartum women: Literature review and introduction of a conjoint interpersonal psychotherapy intervention. *Archives of Women's Mental Health*, 13(3), 279-284.

Chan, R. T. (2005). Interpersonal psychotherapy as a treatment model for depressed adolescents with chronic medical problems. *Clinical Child Psychology and Psychiatry*, 10(1), 88-101.

Cuijpers, P., Geraedts, A. S., van Oppen, P., Andersson, G., Markowitz, J. C., van Straten, A. (2011). Interpersonal psychotherapy of depression: a meta-analysis. *American Journal of Psychiatry*, 168(6), 581-592.

Cyranowski, J. M., Swartz, H. A., Hofkens, T. L., & Frank, E. (2009). Emotional and cardiovascular reactivity to a child-focused interpersonal stressor among depressed mothers of psychiatrically ill children. *Depression and Anxiety*, 26(2), 110-116.

de Mello, M. F., de Jesus Mari, J., Bacaltchuk, J., Verdeli, H., & Neugebauer, R. (2005). A systematic review of research findings on the efficacy of interpersonal therapy for depressive disorders. *European Archives of Psychiatry and Clinical Neuroscience*, 255(2), 75-82.

de Mello, M. F., Myczcowisk, L. M., & Menezes, P. R. (2001). A randomized controlled

trial comparing moclobemide and moclobemide plus interpersonal therapy in the treatment of dysthymic disorder. *The Journal of Psychotherapy Practice and Research*, 10(2), 117-123.

Dietz, L.J., Mufson, L., Irvine H., & Brent, D.A. (2008). Family-based interpersonal psychotherapy (FB-IPT) for depressed preadolescents: An open-treatment trial. *Early Intervention in Psychiatry*, 3, 154–161.

Field, T., Deeds, O., Diego, M., Hernandez-Reif, M., Guler, A., Sullivan, S., Wilson, D., & Nearing, G. (2009). Benefits of combining massage therapy with group interpersonal psychotherapy in prenatally depressed women. *Journal of Bodywork and Movement Therapies*, 13(4), 297-303.

Finkenzeller, W., Zobel, I., Rietz, S., Schramm, E., & Berger, M. (2009). Interpersonal psychotherapy and pharmacotherapy for post-stroke depression: Feasibility and effectiveness. *Nervenarzt*, 80(7), 805-8121.

Fombonne, E. (1998). Interpersonal psychotherapy for adolescent depression. *Child Psychology & Psychiatry Review*, 3(4), 169-175.

Frank, E., Cassano, G. B., Rucci, P., Thompson, W. K. Kraemer, H. C., Fagiolini, A., Maggi, L. Kupfer, D. J., Shear, M. K., Houck, P. R., Calugi, S., Grochocinski, V. J., Scocco, P., Buttenfield, J., & Forgione, R. N. (2010). Predictors and

moderators of time to remission of major depression with interpersonal psychotherapy and SSRI pharmacotherapy. *Psychological Medicine*, 41, 151-162.

Frank, E., Grochocinski, V. J., Spanier, C. A., Buysse, D. J., Cherry, C. R., Houck, P. R., Stapf, D. M., & Kupfer, D. J. (2000). Interpersonal psychotherapy and antidepressant medication: Evaluation of a sequential treatment strategy in women with recurrent major depression. *Journal of Clinical Psychiatry*, 61(1), 51-57.

Frank, E., Kupfer, D. J., Buysse, D. J., Swartz, H. A., Pilkonis, P. A., Houck, P. R., Rucci, P., Novick, D. M., Grochocinski, V. J., & Stapf, D. M. (2007). Randomized trial of weekly, twice-monthly, and monthly interpersonal psychotherapy as maintenance treatment for women with recurrent depression. *The American Journal of Psychiatry*, 164(5), 761-767.

Grigoriadis, S. & Ravitz, P. (2007). An approach to interpersonal psychotherapy for postpartum depression. *Canadian Family Physician*, 53, 1469-1475.

Grote, N. K., Bledsoe, S. E., Swartz, H. A., & Frank, E. (2004). Culturally relevant psychotherapy for perinatal depression in low-income Ob/Gyn patients. *Clinical Social Work Journal*, 32(3), 327-347.

Grote, N. K., Swartz, H. A., Geibel, S. L., Zuckoff, A., Houck, P. R., & Frank, E. (2009).

A randomized controlled trial of culturally relevant, brief interpersonal psychotherapy for perinatal depression. *Psychiatric Services*, 60(3), 313-321.

Grote, N.K., Zuckoff, A., Swartz, H., Bledsoe, S.E., & Geibel, S.L. (2007). Engaging women who are depressed and economically disadvantaged in mental health treatment. *Social Work*, 52(4), 295-308.

Gunlicks-Stoessel, M., Mufson L., Jekal, A, & Turner, B. (2010). The impact of interpersonal functioning on treatment for adolescent depression: IPT-A versus treatment as usual in school-based health clinics. *Journal of Consulting and Clinical Psychology*, 78(2), 260-267.

Hinrichsen, G. A. (2009). Interpersonal psychotherapy: A treatment for late-life depression. *Psychiatric Annals*, 39(9), 838-843.

Hinrichsen, G. A. (1997). Interpersonal psychotherapy for depressed older adults. *Journal of Geriatric Psychiatry*, 30(2), 239-257.

Hinrichsen, G. A. (2008). Interpersonal psychotherapy for late life depression: Current status and new applications. *Journal of Rational-Emotive & Cognitive Behavior Therapy*, 26(4), 263-275.

Hinrichsen, G. A. (1999). Treating older adults with interpersonal psychotherapy for

depression. *Journal of Clinical Psychology*, 55(8), 949-960.

Horowitz, J., Garber J., Ciesla, J.A. , Young J., & Mufson L. (2007) Prevention of depressive symptoms in adolescents: A randomized trial of cognitive-behavioral and interpersonal prevention programs. *Journal of Consulting and Clinical Psychology*, 75(5), 693-706.

James, I. A., Postma, K., & Mackenzie, L. (2003). Using an IPT conceptualization to treat a depressed person with dementia. *Behavioural and Cognitive Psychotherapy*, 31(4), 451-456.

Johnson, J. E., & Zlotnick, C. (2008). A pilot study of group interpersonal psychotherapy for depression in substance-abusing female prisoners. *Journal of Substance Abuse Treatment*, 34(4), 371-377.

Joyce, P. R., McKenzie, J. M., & Carter, J. D. (2007). Temperament, character and personality disorders as predictors of response to interpersonal psychotherapy and cognitive behaviour therapy for depression. *British Journal of Psychiatry*, 190, 103–108.

Karlsson, H., Säteri, U., & Markowitz, J. C. (2011). Interpersonal psychotherapy for Finnish community patients with moderate to severe major depressive disorder and comorbidities: A pilot feasibility study. *Nordic Journal of Psychiatry*.

Published online: March 18, 2011.

Klerman, G. L. & Weissmann, M. M. (1987). Interpersonal psychotherapy (IPT) and drugs in the treatment of depression. *Pharmacopsychiatry*, 20, 3-7.

Klomek, A. B., & Mufson, L. (2006). Interpersonal psychotherapy for depressed adolescents. *Child and Adolescent Psychiatric Clinics of North America*, 15(4), 959-975.

Koszycki, D., Lafontaine, S., Frasure-Smith, N., Swenson, R., & Lespérance, F. (2004). An open-label trial of interpersonal psychotherapy in depressed patients with coronary disease. *Psychosomatics: Journal of Consultation Liaison Psychiatry*, 45(4), 319-324.

Lacaz, F. S., Bressan, R. A., & de Mello, M. F. (2005). Interpersonal psychotherapy in the depression of patients with schizophrenia: Proposal of a therapeutic model based on a study of three clinical cases. *Revista de Psiquiatria do Rio Grande do Sul*, 27(3), 1-22.

Law, R. (2011). Interpersonal psychotherapy for depression. *Advances In Psychiatric Treatment*, 17, 23-31.

Lespérance, F., Frasure-Smith, N., Koszycki, D., Laliberte, M. A., van Zyl, L. T., Baker,

- B., Swenson, J. R., Chatavi, K., Abramson, B. L., Dorian, P., & Cuertin, M-C. (2007). Effects of citalopram and interpersonal psychotherapy on depression in patients with coronary artery disease: The Canadian Cardiac Randomized Evaluation of Antidepressant and Psychotherapy Efficacy (CREATE) trial. *Journal of the American Medical Association*, 297(4), 367-379.
- Levenson, J. C., Frank, E., Cheng, Y., Rucci, P., Janney, C. A., Houck, P., Forgione, R. N., Swartz, H. A., Cyranowski, J. M., & Fagiolini, A. (2010). Comparative outcomes among the problem areas of interpersonal psychotherapy for depression. *Depression and Anxiety*, 27(5), 434-440.
- Levkovitz, Y., Shahar, G., Native, G., Hirsfeld, E., Treves, I., Krieger, I., & Fennig, S. (2000). Group interpersonal psychotherapy for patients with major depression disorder pilot study. *Journal of Affective Disorders*, 60(3), 191-195.
- Lueboonthavatchai, P., & Thavichachart, N. (2010). Universality of interpersonal psychotherapy (IPT) problem areas in Thai depressed patients. *BMC Psychiatry*, 10, 87.
- Luty, S. E., Carter, J. D., McKenzie, J. M., Rae, A. M., Frampton, C. M. A., Mulder, R. T., & Joyce, P. R. (2010). Randomised controlled trial of interpersonal psychotherapy and cognitive-behavioral therapy for depression. *Focus*, 8(1), 110-

MacKenzie, K. R., & Grabovac, A. D. (2001). Interpersonal psychotherapy group (IPT-G) for depression. *Journal of Psychotherapy Practice & Research*, 10(1), 46-51.

Markowitz, J. C. (2003). Interpersonal psychotherapy for chronic depression. *Journal of Clinical Psychology*, 59(8), 847-858.

Markowitz, J. C. (1996). Psychotherapy for dysthymic disorder. *Psychiatric Clinics of North America*, 19, 133-149.

Markowitz, J. C., Klerman, G. L., Clougherty, K. F., Spielman, L. A., Jacobsberg, L. B., Fishman, B., Frances, A. J., Kocsis, J. H., & Perry, S. W. (1995). Individual psychotherapies for depressed HIV-positive patients. *American Journal of Psychiatry*, 152, 1504-1509.

Markowitz, J. C., Kocsis, J. H., Bleiberg, K. L., Christos, P. J., & Sacks, M. (2005). A comparative trial of psychotherapy and pharmacotherapy for "pure" dysthymic patients. *Journal of Affective Disorders*, 89(1-3), 167-175.

Markowitz, J. C., Kocsis, J. H., Christos, P., Bleiberg, K., & Carlin, A. (2008). Pilot study of interpersonal psychotherapy versus supportive psychotherapy for dysthymic patients with secondary alcohol abuse or dependence. *Journal of*

Nervous and Mental Disease, 196(6), 468-474.

Markowitz, J. C., Kocsis, J. H., Fishman, B., Spielman, L. A., Jacobsberg, L. B., Frances, A. J., Klerman, G. L., & Perry, S. W. (1998). Treatment of depressive symptoms in human immunodeficiency virus-positive patients. *Archives of General Psychiatry*, 55(5), 452-457.

Markowitz, J. C., Patel, S. R., Balan, I. C., Bell, M. A., Blanco, C., Heart, M. Y. H. B., Sosa, S. B., & Fernández, R. L. (2009). Toward an adaptation of interpersonal psychotherapy for Hispanic patients with DSM-IV major depressive disorder. *Journal of Clinical Psychiatry*, 70(2), 214-222.

Mellin, E. A., & Beamish, P. M. (2002). Interpersonal theory and adolescents with depression: Clinical update. *Journal of Mental Health Counseling*, 24(2), 110-125.

Miller, M. D., & Reynolds, C. F., III. (2007). Expanding the usefulness of Interpersonal Psychotherapy (IPT) for depressed elders with co-morbid cognitive impairment. *International Journal of Geriatric Psychiatry*, 22(2), 101-105.

Miller, M. D., Richards, V., Zuckoff, A., Martire, L. M., Morse, J., Frank, E., Reynolds, C. F., III. (2007). A model for modifying interpersonal psychotherapy (IPT) for depressed elders with cognitive impairment. *Clinical Gerontologist: The Journal*

of Aging and Mental Health, 30(2), 79-101.

Miller, L., & Weissman, M. (2002). Interpersonal psychotherapy delivered over the telephone to recurrent depressives : A pilot study. *Depression and Anxiety, 16*(3), 114-117.

Moreau, D., & Mufson, L. (1997). Interpersonal psychotherapy for depressed adolescents. *Child and Adolescent Psychiatric Clinics of North America, 6*(1), 97-110.

Mufson, L. (2010) Interpersonal psychotherapy for depressed adolescents (IPT-A): Extending the reach from academic to community settings. *Child and Adolescent Mental Health Journal, 15*(2), 66-72.

Mufson, L. & Anderson G. (2008). Interpersonal psychotherapy for depressed adolescents: An overview of theory, techniques and research. *Revue de Santé mentale au Québec, 33*(2), 49-65.

Mufson, L. H., Dorta, K. P., Olfson, M., Weissman, M. M., & Hoagwood, K. (2004). Effectiveness research: Transporting interpersonal psychotherapy for depressed adolescents (IPT-A) from the lab to school-based health clinics. *Clinical Child and Family Psychology Review, 7*(4), 251-261.

Mufson, L., Dorta, K. P., Wickramaratne, P., Nomura, Y., Olfson, M., & Weissman, M.

M. (2004). A randomized effectiveness trial of interpersonal psychotherapy for depressed adolescents. *Archives of General Psychiatry*, 61(6), 577-584.

Mufson, L., & Fairbanks, J. (1996). Interpersonal psychotherapy for depressed adolescents: A one-year naturalistic follow-up study. *Journal of the American Academy of Child & Adolescent Psychiatry*, 35(9), 1145-1155.

Mufson, L., Gallagher, T., Dorta, K. P., & Young, J. F. (2004). A group adaptation of interpersonal psychotherapy for depressed adolescents. *American Journal of Psychotherapy*, 58(2), 220-237.

Mufson, L., Moreau, D., Weissman, M. M., Wickramaratne, P., Martin, J., & Samoilov, A. (1994). Modification of interpersonal psychotherapy with depressed adolescents (IPT-A): Phase I and II studies. *Journal of the American Academy of Child and Adolescent Psychiatry*, 33(5), 695-705.

Mufson, L., & Sills, R. (2006). Interpersonal psychotherapy for depressed adolescents (IPT-A): An overview. *Nordic Journal of Psychiatry*, 60(6), 431-437.

Mufson, L., Weissman, M. M., Moreau, D., & Garfinkel, R. (1999). Efficacy of interpersonal psychotherapy for depressed adolescents. *Archives of General Psychiatry*, 56(6), 573-579.

Mulcahy, R., Reay, R. E., Wilkinson, R. B., & Owen, C. (2010). A randomised control trial for the effectiveness of group interpersonal psychotherapy for postnatal depression. *Archives of Women's Mental Health*, 13(2), 125-139.

Neugebauer, R., Kline, J., Bleiberg, K., Baxi, L., Markowitz, J. C., Rosing, M., Levin, B., & Keith, J. (2007). Preliminary open trial of interpersonal counseling for subsyndromal depression following miscarriage. *Depression and Anxiety*, 24, 219-222.

Nylen, K. J., O'Hara, M. W., Brock, R., Moel, J., Gorman, L., Stuart, S. (2010). Predictors of the longitudinal course of postpartum depression following interpersonal psychotherapy. *Journal of Consulting and Clinical Psychology*, 78, 757-763.

O'Hara, M. W., Schiller, C. E., & Stuart, S. (2010). Interpersonal psychotherapy and relapse prevention for depression. In C. S. Richards & M. G. Perri (Eds.), *Relapse Prevention for Depression* (77-97). Washington, D. C.: American Psychological Association.

O'Hara, M. W., Stuart, S., Gorman, L. L., & Wenzel, A. (2000). Efficacy of interpersonal psychotherapy for postpartum depression. *Archives of General Psychiatry*, 57(11), 1039-1045.

Parker, G., Parker, I., Brotchie, H., & Stuart, S. (2006). Interpersonal psychotherapy for depression: The need to define its ecological niche. *Journal of Affective Disorders*, 95(1-3), 1-11.

Patry, S. (2001). Interpersonal psychotherapy in the treatment of depression. *The Canadian Journal of Continuing Medical Education*, 13(7), 31-48.

Patry, S. (1999). La place de la psychothérapie interpersonnelle dans le traitement de la dépression. *Le Clinicien, Janvier*, 145-154.

Pigeon, W. R., May, P. E., Perlis, M. L., Ward, E. A., Lu, N., & Talbot, N. L. (2009). The effect of interpersonal psychotherapy for depression on insomnia symptoms in a cohort of women with sexual abuse histories. *Journal of Traumatic Stress*, 22(6), 634-638.

Poleschuck, E. L., Talbot, N. E., Zlotnick, D., Gamble, S., Liu, X., Tu, X., & Giles, D. E. (2010). Interpersonal psychotherapy for women with comorbid depression and chronic pain. *The Journal of Nervous and Mental Disease*, 198(8), 597-600.

Ransom, D., Heckman, T. G., Anderson, T., Garske, J., Holroyd, K., & Basta, T. (2008). Telephone-delivered, interpersonal psychotherapy for HIV-infected rural persons with depression: A pilot trial. *Psychiatric Services*, 59(8), 871-877.

- Reynolds, C. F., Dew, M. A., Martire, L. M., Miller, M. D., Cyranowski, J. M., Lenze, E., Whyte, E., Mulsant, B. H., Pollock, B. G., Karp, J. F., Gildengers, A., Szanto, K., Dombrovski, A. Y., Andreescu, C., Butters, M. A., Morse, J. Q., Houck, P. R., Bensasi, S., Mazumdar, S., Stack, J. A., & Frank, E. (2010). Treating major depression to remission in older adults: A controlled evaluation of combined interpersonal psychotherapy and escitalopram. *International Journal of Geriatric Psychiatry*, 25(11), 1134-1141.
- Santor, D. A., & Kusumakar, V. (2001). Open trial of interpersonal therapy in adolescents with moderate to severe major depression: Effectiveness of novice IPT therapists. *Journal of the American Academy of Child & Adolescent Psychiatry*, 40(2), 236-240.
- Schramm, E., Schneider, D., Zobel, I., van Calker, D., Dykierk, P., Kech, S., Härter, M., & Berger, M. (2008). Efficacy of interpersonal psychotherapy plus pharmacotherapy in chronically depressed inpatients. *Journal of Affective Disorders*, 109(1-2), 65-73.
- Schramm, E., van Calker, D., Dykierk, P., Lieb, K., Kech, S., Zobel, I., Leonhart, R., & Berger, M. (2007). An intensive treatment program of interpersonal psychotherapy plus pharmacotherapy for depressed inpatients: Acute and long-term results. *The American Journal of Psychiatry*, 164(5), 768-777.

- Schulberg, H. C., Post, E. P., Raue, P. J., Ten Have, T., Miller, M., & Bruce, M. L. (2007). Treating late-life depression with interpersonal psychotherapy in the primary care sector. *International Journal of Geriatric Psychiatry*, 22(2), 106-114.
- Scocco, P., & Frank, E. (2002). Interpersonal psychotherapy as augmentation treatment in depressed elderly responding poorly to antidepressant drugs: A case series. *Psychotherapy and Psychosomatics*, 71(6), 357-361.
- Segre, L. S., Stuart, S., & O'Hara, M. W. (2004). Interpersonal psychotherapy for antenatal and postpartum depression. *Primary Psychiatry*, 11(3), 52-56, 66.
- Spinelli, M. G. (1997). Interpersonal psychotherapy for depressed antepartum women: A pilot study. *The American Journal of Psychiatry*, 154(7), 1028-1030.
- Spinelli, M. G., & Endicott, J. (2003). Controlled clinical trial of interpersonal psychotherapy versus parenting education program for depressed pregnant women. *The American Journal of Psychiatry*, 160(3), 555-562.
- Stuart, S., & Cole, V. (1996). Treatment of depression following myocardial infarction with interpersonal psychotherapy. *Annals of Clinical Psychiatry*, 8(4), 203-206.
- Swartz, H. A., Frank, E., Zuckoff, A., Cyranowski, J. M., Houck, P. R., Cheng, Y.,

- Fleming, M. A. D., Grote, N. K., Brent, D. A., & Shear, M. K. (2008). Brief interpersonal psychotherapy for depressed mothers whose children are receiving psychiatric treatment. *The American Journal of Psychiatry*, 165(9), 1155-1162.
- Swartz, H. A., Markowitz, J. C., & Spinelli, M. G. (1997). Interpersonal psychotherapy of a depressed, pregnant, HIV-positive woman. *Journal of Psychotherapy Practice & Research*, 6(2), 166-178.
- Swartz, H. A., Zuckoff, A., Frank, E., Spielvogle, H. N., Shear, M. K., Fleming, M. A. D., & Scott, J. (2006). An open-label trial of enhanced brief interpersonal psychotherapy in depressed mothers whose children are receiving psychiatric treatment. *Depression and Anxiety*, 23(7), 398-404.
- Swartz, H. A., Zuckoff, A., Grote, N. K., Spielvogle, H. N., Bledsoe, S. E., Shear, M. K., & Frank, E. (2007). Engaging depressed patients in psychotherapy: Integrating techniques from motivational interviewing and ethnographic interviewing to improve treatment participation. *Professional Psychology: Research and Practice*, 38, 430-439.
- Talbot, N. L., Chaudron, L. H., Ward, E. A., Duberstein, P. R., Conwell, Y., O'Hara, M. W., Tu, X., Lu, N., He, H., & Stuart, S. (2011). A randomized effectiveness trial of interpersonal psychotherapy for depressed women with sexual abuse histories.

- Psychiatric Services, 62, 374-380.
- Talbot, N. L., Conwell, Y., O'Hara, M. W., Stuart, S., Ward, E. A., Gamble, S. A., Watts, A., & Tu, X. (2005). Interpersonal psychotherapy for depressed women with sexual abuse histories: A pilot study in a community mental health center. *Journal of Nervous and Mental Disease*, 193(12), 847-850.
- Tang, T-C., Jou, S-H., Ko, C-H., Huang, S-Y., & Yen, C-F. (2009). Randomized study of school-based intensive interpersonal psychotherapy for depressed adolescents with suicidal risk and parasuicide behaviors. *Psychiatry and Clinical Neurosciences*, 63(4), 463-470.
- Verdeli, H., Clougherty, K., Onyango, G., Lewandowski, E., Speelman, L., Betancourt, T. S., Neugebauer, R., Stein, T. R., & Bolton, P. (2008). Group interpersonal psychotherapy for depressed youth in IDP camps in Northern Uganda: Adaptation and training. *Child and Adolescent Psychiatric Clinics of North America*, 17(3), 605-624.
- Weissman, M. M. (2007). Recent non-medication trials of interpersonal psychotherapy for depression. *International Journal of Neuropsychopharmacology*, 10(1), 117-122.
- Young, J.F., Gallop, R., & Mufson, L. (2009). Mother-child conflict and its moderating effects on depression outcomes in a preventive intervention for adolescent depression. *Journal of Clinical Child and Adolescent Psychology*, 38(5), 696-704.

Young, J. F., Mufson, L., & Davies, M. (2006). Impact of comorbid anxiety in an effectiveness study of interpersonal psychotherapy for depressed adolescents. *Journal of the American Academy of Child & Adolescent Psychiatry*, 45(8), 904-912.

Young, J. Mufson, L., & Davies, M. (2006). Efficacy of interpersonal psychotherapy-adolescent skills training: An indicated preventive intervention for adolescent depression. *Journal of Child Psychology and Psychiatry*, 47(12), 1254-1262.

Young, J. F., Mufson, L., & Gallop, R. (2010). Preventing depression: A randomized trial of interpersonal psychotherapy-adolescent skills training. *Depression and Anxiety*, 27, 426-433.

Book Chapters

Caron, A. & Mufson, L. (2007). School-based treatment of depression. In S. Evans, M. Wiest, & Z. Serpell (Eds.), *Advances in School-Based Mental Health Interventions*, Vol. 2 (17-1-14). Civic Research Institute.

Chaput, F., Moreau, D., & Mufson, L. (1997). Adolescent depression. In S. B. Friedman, S. K. Schonberg, M. M. Fisher, & E. M. Alderman (Eds.), *Comprehensive Adolescent Healthcare* (2nd ed., 925-932). Philadelphia, PA: Mosby-Yearbook, Inc.

Gunlicks, M. & Mufson, L. (2010). Interpersonal psychotherapy for depressed adolescents. In M. K. Dulcan (Ed.), *The Textbook of Child and Adolescent Psychiatry* (887-906), American Psychiatric Publishing.

- Gunlicks, M. & Mufson, L. (2009). Interpersonal psychotherapy for depressed adolescents. In S. Nolen-Hoeksema (Ed.), *Handbook of Adolescent Depression* (511-531).
- Jacobson, C. & Mufson L. (2010). Treating adolescent depression using interpersonal psychotherapy. In J.R. Weisz and A.E. Kazdin (Eds.), *Evidence-Based Psychotherapies for Children and Adolescents* (2nd ed., 140-158). Guilford Publications, Inc.
- Moreau, D, & Mufson, L. (1997). Interpersonal psychotherapy for depressed adolescents. In J.D. O'Brien (Ed.), *Child and Adolescent Psychiatric Clinics of North America – Psychotherapy* (97-111). Philadelphia, PA: W.B. Saunders Co.
- Mufson, L. (2003). Interpersonal psychotherapy for depressed adolescents. In T. Ollendick and C. Schroeder (Eds.), *Encyclopedia of Pediatric and Child Psychology* (320-322). New York, NY: Kluwer Academic.
- Mufson, L. (2008). Interpersonal psychotherapy: Perspective on the treatment of a depressed adolescent. In J. W. Barnhill, (Ed.), *The Approach to the Psychiatric Patient* (289-292). American Psychiatric Publishing, Inc.
- Mufson, L. & Dorta K. P. (2003). Interpersonal psychotherapy for depressed adolescents. In A. Kazdin and J. Weisz (Eds.), *Evidence-Based Psychotherapies for Children and Adolescents* (148-164). New York, NY: Guilford Publications, Inc.
- Mufson, L. & Dorta, K. P. (2000). Interpersonal psychotherapy for depressed adolescents: Theory, practice, and research. In A.H. Esman (Ed.), *The Annals of the American Society for Adolescent Psychiatry* (139-169). Hillsdale, NJ: The Analytic Press.

Mufson, L., Dorta, K. P., Moreau, D., & Weissman, M. M. (2004). Efficacy to effectiveness: Adaptations of interpersonal psychotherapy for adolescent depression. In P. Jensen and E. Hibbs (Eds.), *Psychosocial Treatment Research of Child and Adolescent Disorders* (2nd ed., 165-186). Washington, D.C.: American Psychological Association.

Mufson, L. & Moreau D. (1997). Depression disorders. In R. T. Ammerman & M. Hersen (Eds.), *Handbook of Prevention and Treatment with Children and Adolescents: Intervention in the Real World Context* (403-431). New York, NY: J. Wiley & Sons.

Mufson, L. & Moreau, D. (1997). Interpersonal psychotherapy for depressed adolescents. In M. C. Mouren-Simeoni, M. Bouvard, & R. Klein (Eds.), *Depressions de L'enfant et de L'adolescent: Acquis et Perspectives*. Paris: Expansion Scientifique Publications.

Mufson, L. & Moreau, D. (1998). Interpersonal psychotherapy for depressed adolescents. In M. Riba and J. Oldham (Eds.), *Annual Review of Psychiatry* (35-63). Washington, D.C.: American Psychiatric Association: Washington, D.C.

Mufson, L., Moreau, D., & Weissman, M. M. (1996). Interpersonal psychotherapy for depressed adolescents. In P. Jensen and E. Hibbs (Eds.), *Psychosocial Treatment Research of Child and Adolescent Disorders* (137-157). Washington, D. C.: American Psychological Association.

Mufson, L. & Moreau, D. (1999). Interpersonal psychotherapy with depressed adolescents. In S. Russ and T. Ollendick (Eds.), *Handbook of Psychotherapies with Children and Families* (239-255). New York, NY: Plenum Publishing Co.

- Mufson, L., Moreau, D., Weissman, M. M., & Klerman G. L. (1993). Interpersonal psychotherapy for adolescent depression. In G. L. Klerman and M. M. Weissman (Eds.), *New Applications of Interpersonal Psychotherapy*. Washington, D. C.: American Psychiatric Association Press.
- Mufson, L. & Velting, D. (2002). Psychotherapy for depression and suicidal behavior in children and adolescents. In M. Riba and J. Oldham (Eds.), *21st Annual Review of Psychiatry: The Many Faces of Depression in Childhood and Adolescence* (37-73). Washington, D.C.: American Psychiatric Association.
- Mufson, L., Verdelli H., Clougherty KF., Shoum K.A. (2009). How to use interpersonal psychotherapy for depressed adolescents (IPT-A). In J. Rey and B. Birmaher (Eds.), *Treating Child and Adolescent Depression* (114-128). Walters, Kluwer, Lippincott, Williams, & Wilkins.
- Mufson, L. & Young J. (2007). Interpersonal Psychotherapy for Depressed Adolescents. In A. Martin and F. Volkmar (Eds.), *Lewis' Child and Adolescents Psychiatry: A Comprehensive Textbook* (4th ed., 819-826). Lippincott, Williams, & Wilkins.
- Schramm, E., van Calker, D., Dykierrek, P., Lieb, K., Kech, S., Zobel, I., Leonhart, R., & Berger, M. (2007). An intensive treatment program of interpersonal psychotherapy plus pharmacotherapy for depressed in patients: Acute and long term results. *The American Journal of Psychiatry*, 164(5), 768-777.
- Swartz, H. A. (2011). Interpersonal psychotherapy (IPT) for depressed adults: Indications, theoretical foundations, general concepts, and efficacy. In P. P. Roy-Byrne and D. Solomon (Eds.), *UpToDate*. Waltham, MA: UpToDate.

- Swartz, H. A. & Frank, E. (2008). Interpersonal and social rhythm therapy: A non-pharmacological intervention addressing circadian rhythm dysregulation in depression. In: J. Mendlewicz (Ed.), *Circadian Rhythms and Depression: Current Understanding and New Therapeutic Perspectives* (51-75). Rueil-Malmaison Cedex, France: Wolters Kluwer Health France.
- Swartz, H. A., Markowitz, J. C., & Frank, E. (2002). Interpersonal psychotherapy for unipolar and bipolar disorders. In S. Hoffmann & M. Tompson (Eds.), *Treating Chronic and Severe Mental Disorders: A Handbook of Empirically Supported Interventions*. New York, NY: Guilford Press.
- Young, J.F. & Mufson, L. (2004). Interpersonal psychotherapy for adolescent depression: A guide to techniques and implementation. In H. Steiner (Ed.), *Handbook on Mental Health Interventions in Children and Adolescents: An Integrated Developmental Approach* (685-703). Wiley & Co.
- Young, J. & Mufson, L. (2009). Interpersonal psychotherapy for adolescents. In C. Essau (Ed.), *Treatment of Adolescent Depression* (261-283). Oxford University Press.
- Young, J. & Mufson, L. (2008). Interpersonal psychotherapy and prevention. In J. R.Z. Abela and B. L. Hankin (Eds.), *Handbook of Depression in Children & Adolescents* (288-308). Guilford Publications, Inc.
- Young, J., & Mufson, L. (2007). The role of homework in interpersonal psychotherapy for depressed adolescents. In N. Kazantis and L. L'Abate (Eds.), *Handbook of Homework Assignments in Psychotherapy: Research, Practice and Prevention* (85-100). Springer Publishers.

Zuckoff, A., Swartz, H. A., & Grote, N. K. (2007). Motivational interviewing as a prelude to psychotherapy of depression. In H. Arkowitz, H. A. Westra, W. R. Miller, S. Rollnick (Eds.), *Motivational Interviewing in the Treatment of Psychological Problems* (109-144). New York, NY: Guilford Press.

Books

Markowitz, J. C. & Weissman, M. M. (Eds.) (in press). *Casebook of Interpersonal Psychotherapy*. New York: Oxford University Press.

Mufson, L., Moreau, D., Weissman, M. M., & Klerman, G. L. (1993). *Interpersonal Psychotherapy for Depressed Adolescents*. New York: Guilford Press.

Mufson, L., Dorta, K. P., Moreau, D., & Weissman, M. M. (2011). *Interpersonal Psychotherapy for Depressed Adolescents (2nd ed.)*. New York: Guilford Press.

Bipolar Disorders

Journal Articles

Hlastala, S. A., Kottler, J. S., McClellan, J. M., & McCauley, E. A. (2010). Interpersonal and Social Rhythm Therapy for adolescents with bipolar disorder: Treatment development and results from an open trial. *Depression and Anxiety*, 27(5), 457-464.

Miklowitz, D. J., Otto, M. W., Frank, E., Reilly-Harrington, N. A., Kogan, J. N., Sachs, G. S., Thase, M. E., Calabrese, J. R., Marangell, L. B., Ostacher, M. J., Patel, J., Thomas, M. R., Araga, M., Gonzalez, J. M., & Wisniewski, S. R. (2007). Intensive psychological intervention enhances functioning in patients with bipolar

depression: results from a 9-month randomized controlled trial. *The American Journal of Psychiatry*, 164(9), 1340-1347.

Miklowitz, D. J., Otto, M. W., Frank, E., Reilly-Harrington, N. A., Wisniewski, S. R., Kogan, J. N., Nierenberg, A. A., Calabrese, J. R., Marangell, L. B., Gyulai, L., Araga, M., Gonzalez, J. M., Shirley, E. R., Thase, M. E., & Sachs, G. S. (2007). Psychosocial treatments for bipolar depression: a 1-year randomized trial from the systematic treatment enhancement program. *Archives of General Psychiatry*, 64, 419-427.

Swartz, H. A., Frank, E., & Frankel, D. (2008). Psychothérapie interpersonnelle et des rythmes sociaux (PTIRS) dans le trouble bipolaire II: Structure du traitement et exemples cliniques. *Santé mentale au Québec*, 33, 151-184.

Swartz, H. A., Frank, E., Frankel, D. R., Novick, D., & Houck, P. R. (2009). Psychotherapy as monotherapy for the treatment of bipolar II depression: a proof of concept study. *Bipolar Disorders*, 11, 89-94.

Book Chapters

Swartz, H. A. & Frank, E. (2009). Psychothérapie interpersonnelle ciblée sur la rééducation des rythmes sociaux (IPSRT) dans le trouble bipolaire. In M. Leboyer (Ed.), *Les Troubles Bipolaires: de la Recherche à la Pratique* (73-88). Issy-les-Moulineaux, France: Elsevier Masson.

Swartz, H. A., Frank, E., Zajac, L. E., & Kupfer, D. J. (2010). Interpersonal and social rhythm therapy for bipolar disorder. In L. N. Yatham and M. Maj (Eds.), *Bipolar*

Disorders: Clinical and Neurobiological Foundations (430-442). London: John Wiley & Sons, Ltd.

Anxiety Disorders

Journal Articles

Bleiberg, K. L., & Markowitz, J. C. (2005). A pilot study of interpersonal psychotherapy for posttraumatic stress disorder. *The American Journal of Psychiatry*, 162(1), 181-183.

Borge, F-M., Hoffart, A., & Sexton, H. (2010). Predictors of short term and longer term outcome in residential cognitive and interpersonal treatment for social phobia: Do cognitive and social dysfunction moderate treatment? *Journal of Behavior Therapy and Experimental Psychiatry*, 41, 212–219.

Borge, F-M., Hoffart, A., Sexton, H., Clark, D. M., Markowitz, J. C., & McManus, F. (2008). Residential cognitive therapy versus residential interpersonal therapy for social phobia: A randomized clinical trial. *Journal of Anxiety Disorders*, 22, 991-1010.

Borge, F-M., Hoffart, A., Sexton, H., Martinsen, E., Gude, T., Hedley, L. M., & Abrahamsen, G. (2010). Pre-treatment predictors and in-treatment factors associated with change in avoidant and dependent personality dimensions among

- patients with social phobia. *Clinical Psychology and Psychotherapy*, 17, 87–99.
- Hoffart, A., Borge, F-M., Sexton. H., & Clark, D. M. (2009). Change processes in residential cognitive and interpersonal psychotherapy for social phobia: A process-outcome study. *Behavioral Therapy*, 40, 10-22.
- Hoffart, A., Borge, F-M., Sexton. H., & Clark, D. M. (2009). The role of common factors in residential cognitive and interpersonal therapy for social phobia: A process-outcome study. *Psychotherapy Research*, 19(1), 54-67.
- Krupnick, J. L., Green, B. L., Stockton, P., Miranda, J., Krause, E., & Mete, M. (2008). Group interpersonal psychotherapy for low-income women with posttraumatic stress disorder. *Psychotherapy Research*, 18(5), 497-507.
- Lipsitz, J. D., Gur, M., Miller, N. L., Forand, N., Vermes, D., & Fyer, A. J. (2006). An open pilot study of interpersonal psychotherapy for panic disorder (IPT-PD). *Journal of Nervous and Mental Disease*, 194(6), 440-445.
- Lipsitz, J. D., Gur, M., Vermes, D., Petkova, E., Cheng, J., Miller, N., Laino, J., Liebowitz, M. R., & Fryer, A. J. (2008). A randomized trial of interpersonal therapy versus supportive therapy for social anxiety disorder. *Depression and Anxiety*, 25, 542-553.

- Lipsitz, J. D., Markowitz, J. C., Cherry, S., & Fyer, A. J. (1999). Open trial of interpersonal psychotherapy for the treatment of social phobia. *The American Journal of Psychiatry, 156*(11), 1814-1816.
- Markowitz, J. C. (2010). Cutting edge: IPT and PTSD. *Depression and Anxiety, 27*, 879-881.
- Markowitz, J. C., Milrod, B., Bleiberg, K. L., Marshall, R. D. (2009). Interpersonal factors in understanding and treating posttraumatic stress disorder. *Journal of Psychiatric Practice, 15*, 133-140.
- Ray, R. D., & Webster, R. (2010). Group interpersonal psychotherapy for veterans with posttraumatic stress disorder: a pilot study. *International Journal of Group Psychotherapy, 60*(1), 131-140.
- Robertson, M., Rushton, P., Batrim, D., Moore, E., & Morris, P. (2007). Open trial of interpersonal psychotherapy for chronic posttraumatic stress disorder. *Australasian Psychiatry, 15*(5), 375-379.
- Robertson, M., Rushton, P. J., Bartrum, D., & Ray, R. (2004). Group-Based interpersonal psychotherapy for posttraumatic stress disorder: Theoretical and clinical aspects. *International Journal of Group Psychotherapy, 54*(2), 145-175.

Stangier, U., Von Consbruch, Schramm, E., & Heidenreich, T. (2010). Common factors of cognitive therapy and interpersonal psychotherapy in the treatment of social phobia. *Anxiety, Stress & Coping: An International Journal*, 23(3), 289-301.

Books

Hoffart, A., Abrahamsen, G., Bonsaksen, T., Borge, F. M., Ramstad, R., & Markowitz, J. C. (2007). *A Residential Interpersonal Treatment for Social Phobia*. New York: Nova Science Publishers.

Somatoform Disorders

Journal Articles

Stuart, S., & Noyes, R. Jr. (2006). Interpersonal psychotherapy for somatizing patients. *Psychotherapy and Psychosomatics*, 75(4), 209-219.

Stuart, S., & Noyes, R. Jr. (2005). Treating hypochondriasis with interpersonal psychotherapy. *Journal of Contemporary Psychotherapy*, 35(3), 269-283.

Stuart, S., Noyes, R. Jr., Starcevic, V., & Barsky, A. (2008). An integrative approach to somatoform disorders combining interpersonal and cognitive-behavioral theory and techniques. *Journal of Contemporary Psychotherapy*, 38(1), 45-53.

Eating Disorders

Journal Articles

Agras, W. S., Telch, C. F., Arnow, B., Eldredge, K., Detzer, M. J., Henderson, J., &

Marnell, M. (1995). Does interpersonal therapy help patients with binge eating disorder who fail to respond to cognitive-behavioral therapy? *Journal of Consulting and Clinical Psychology*, 63(3), 356-360.

Agras, W. S., Walsh, T., Fairburn, C. G., Wilson, G. T., & Kraemer, H. C. (2000). A

multicenter comparison of cognitive behavioral therapy and interpersonal psychotherapy for bulimia nervosa. *Archives of General Psychiatry*, 57(5), 459-466.

Apple, R. F. (1999). Interpersonal therapy for bulimia nervosa. *Journal of Clinical*

Psychology, 55(6), 715-725.

Arcelus, J., Whight, D., Langham, C., Baggott, J., McGrain, L., Meadows, L., & Meyer,

C. (2009). A case series evaluation of the modified version of interpersonal

psychotherapy (IPT) for the treatment of bulimic eating disorders: A pilot study.

European Eating Disorders Review, 17(4), 260-268.

Birchall, H. (1999). Interpersonal psychotherapy in the treatment of eating disorders.

European Eating Disorders Review, 7(5), 315-320.

Chui, W., Safer, D. L., Bryson, S. W., Agras, W. S., & Wilson, G. T. (2007). A

comparison of ethnic groups in the treatment of bulimia nervosa. *Eating*

Behaviors, 8(4), 458-491.

Fairburn, C. G., Jones, R., Peveler, R., Hope, R., & O'Connor, M. (1993). Psychotherapy and bulimia nervosa: longer-term effects of interpersonal psychotherapy, behavior therapy, and cognitive behavior therapy. *Archives of General Psychiatry*, 50, 419–428.

Hendricks, P. S., & Thompson, J. K. (2005). An integration of cognitive-behavioral therapy and interpersonal psychotherapy for bulimia nervosa: A case study using the case formulation method. *International Journal of Eating Disorders*, 37(2), 171-174.

McIntosh, V. V., Bulik, C. M., McKenzie, J. M., Luty, S. E., & Jordan, J. (2000). Interpersonal psychotherapy for anorexia nervosa. *International Journal of Eating Disorders*, 27(2), 125-139.

Nevonen, L., & Broberg, A. G. (2006). A comparison of sequenced individual and group psychotherapy for patients with bulimia nervosa. *International Journal of Eating Disorders*, 39(2), 117-127.

Rieger, E., Van Buren, D. J., Bishop, M., Tanofsky-Kraff, M., Welch, R., & Whilfley, D. E. (2010). An eating disorder-specific model of interpersonal psychotherapy (IPT-ED): Causal pathways and treatment implications. *Clinical Psychology Review*,

30(4), 400-410.

Tanofsky-Kraff, M., Wilfley D., Young, J., Mufson, L. , Yanovsky S.Z., Glasofer, D., & Salaita C. (2007). Preventing excessive weight gain in adolescents: Interpersonal psychotherapy for binge eating. *Obesity*, 15(6), 1345-1355.

Tanofsky-Kraff, M., Wilfley D., Young, J., Mufson, L. , Yanovsky S.Z., Glasofer, D., Salaita C., & Schvey N.A. (2010). Interpersonal psychotherapy for preventing excess weight gain in adolescent girls at-risk for obesity: A pilot study. *International Journal of Eating Disorders*, 43(8), 701-706.

Wilfley, D. E., Frank, M. A., Welch, R., Spurrell, E. B., & Rounsville, B. J. (1998). Adapting interpersonal psychotherapy to a group format (IPT-G) for binge eating disorder: Toward a model for adapting empirically supported treatments. *Psychotherapy Research*, 8(4), 379-391.

Wilfley, D. E., Welch, R. R., Stein, R. I., Spurrell, E. B., Cohen, L. R., Saelens, B. E., Dounchis, J. Z., Frank, M. A., Wiseman, C. V., & Matt, G. E. (2002). A randomized comparison of group cognitive-behavioral therapy and group interpersonal psychotherapy for the treatment of overweight individuals with binge-eating disorder. *Archives of General Psychiatry*, 59(8), 713-721.

Book Chapters

Fairburn, C.G. (1997). Interpersonal psychotherapy for bulimia nervosa. In D. M. Garner & P. E. Garfinkel (Eds.), *Handbook of Treatment for Eating Disorders* (2nd ed., 278-294). New York: Guilford.

Murphy, R., Straebler, S., Cooper, Z., & Fairburn, C. G. (in press). Interpersonal psychotherapy (IPT) for eating disorders. In I. Dancyger & V. Fornari (Eds.), *Evidence Based Treatments for Eating Disorders: Children, Adolescents, and Adults*. New York: Nova Science Publishers.

Tanofsky-Kraff, M., & Wilfley, D. E. (2010). Interpersonal psychotherapy for the treatment of eating disorders. In W. S. Agras (Ed.), *The Oxford Handbook of Eating Disorders* (348-372). New York, NY: Oxford University Press.

Tanofsky-Kraff, M., & Wilfley, D. E. (2009). Interpersonal psychotherapy for bulimia nervosa and binge-eating disorder. In C. M. Grilo & J. E. Mitchell (Eds.), *The Treatment of Eating Disorders: A Clinical Handbook* (271-293). New York: Guilford Press.

Terence, W. G., Wilfley, D. E., Agras, W. S., & Bryson, S. W. (2010). Psychological treatments of binge eating disorder. *Archives of General Psychiatry*, 67(1), 94-101.

Substance-Related Disorders

Journal Articles

Rounsaville, B., Gawin, F., & Kleber, H. (1985). Interpersonal psychotherapy adapted for ambulatory cocaine abusers. *American Journal of Drug and Alcohol Abuse*, 11(3-4), 171-191.

Personality Disorders

Journal Articles

Bellino, S., Rinaldi, C., & Bogetto, F. (2010). Adaptation of interpersonal psychotherapy to borderline personality disorder: A comparison of combined therapy and single pharmacotherapy. Canadian Journal of Psychiatry, 55(2), 74-81.

Markowitz, J. C., Bleiberg, K., Pessin, H., & Skodol, A. E. (2007). Adapting interpersonal psychotherapy for borderline personality disorder. *Journal of Mental Health*, 16(1), 103-116.

Markowitz, J. C., Skodol, A. E., & Bleiberg, K. (2006). Interpersonal psychotherapy for borderline personality disorder: Possible mechanisms of change. *Journal of Clinical Psychology*, 62(4), 431-444.

Book Chapters

Anchin, J. C., & Pincus, A. L. (2010). Evidence-based interpersonal psychotherapy with personality disorders: Theory, components, and strategies. In J. J. Magnavita

(Ed.), *Evidence-Based Treatment of Personality Dysfunction: Principles, Methods, and Processes* (113-166). Washington, D. C.: American Psychological Association.

Special Populations

Journal Articles

Grote, N. K., Swartz, H. A., & Zuckoff, A. (2008). Enhancing interpersonal psychotherapy for mothers and expectant mothers on low incomes: Adaptations and additions. *Journal of Contemporary Psychotherapy, 38*(1), 23-33.

Heisel, M. J., Duberstein, P. R., Talbot, N. L., King, D. A., & Tu, X. M. (2009). Adapting interpersonal psychotherapy for older adults at risk for suicide: Preliminary findings. *Professional Psychology: Research and Practice, 40*(2), 156-164.

Miller, M. D. (2008). Using interpersonal therapy (IPT) with older adults today and tomorrow: a review of the literature and new developments. *Current Psychiatry Reports, 10*, 16-22.

Miller, M. D., Frank, E., Cornes, C., Houck, P. R., Reynolds, C. F., III. (2003). The value of maintenance interpersonal psychotherapy (IPT) in older adults with different IPT foci. *The American Journal of Geriatric Psychiatry, 11*(1), 97-102.

Miller, L., Gur, M., Shanok, A., & Weissman, M. (2008). Interpersonal psychotherapy

with pregnant adolescents: Two pilot studies. *Journal of Child Psychology and Psychiatry*, 49(7), 733-742.

Reay, R., Stuart, S., & Owen, C. (2003). Implementation and effectiveness of interpersonal psychotherapy in a community mental health service. *Australasian Psychiatry*, 11(3), 284-289.

Schaal, S., Elbert, T., & Neuner, F. (2009). Narrative exposure therapy versus interpersonal psychotherapy: A pilot randomized controlled trial with Rwandan genocide orphans. *Psychotherapy and Psychosomatics*, 78(5), 298-306.

Talbot, N. L., & Gamble, S. A. (2008). IPT for women with trauma histories in community mental health care. *Journal of Contemporary Psychotherapy*, 38(1), 35-44.

van Schaik, A., van Marwijk, H., Adèr, H., van Dyck, R., de Haan, M., Penninx, B., van der Kooij, K., van Hout, H., & Beekman, A. (2006). Interpersonal psychotherapy for elderly patients in primary care. *The American Journal of Geriatric Psychiatry*, 14(9), 777-786.